| ARTICLE CODE | DESCRIPTION |
| --- | --- |
| LFC-1932 | Logifold box 855l - 1200x1000x975mm - closed - 2 skids - flap door 1 short + 1 long side |

## BRAND

Qubb

## PRODUCT DESCRIPTION

Foldable pallet box for agricultural, food and industrial applications
70% space saving thanks to foldable design with a folding ratio of 1/3.3
Strong, maintenance-friendly construction
Safe stacking with maximum stability during transport and storage
Hygienic design with smooth inner walls and hollow columns that prevent water accumulation
Interlock system keeps the lid in place when the Logifold box is folded or unfolded
Available lid: BFL-1200
Ergonomic built-in handles
Fully customisable with logo, barcodes, RFID, IoT
A4 and A5 card holders available as an option
Can be sealed with 4 security seals (security seals not included)
Not suitable for liquids
Made from 100% recyclable PE-HD without metal components
Folding door height: 410 mm
Folding door width, short side: 655 mm
Folding door width, long side: 855 mm
Folded height: 320 mm
Int. dim.: L1120 x W920 x H830 mm
Static load capacity: 3800 kg - Dynamic load capacity: 1500 kg - Stacked load capacity: 2 + 1 or 1500 kg
Packing: 8 per stack (standard truck)
Until we receive the official product photos, edited images will be displayed














## SPECIFICATIONS

| | |
|---|---|
| Length (mm) | 1200 |
| Width (mm) | 1000 |
| Height (mm) | 975 |
| Net weight (kg) | 52 |
| Matter | High density polyethylene |
| Color | Grey |

## TECHNICAL DETAILS

| | |
|---|---|
| ETIM | EC004736 |
| MOQ sales (Pc.) | 1 |

## ATTRIBUTES

| | |
|---|---|
| Type | 2 skids |
| Model | Logifold |
| Type Of Handles | Ergonomic handles in short side wall |
| Quantity Handles | 4 |
| Temperature Range | -20°C tot +40°C |
| Label Holder | true |
| Load Capacity Static (kg) | 3800 |
| Load Capacity Dynamic (kg) | 1500 |
| Personalisation | false |
| Side Flap Door | 1x short + 1x long side |
| Suitable For Liquids | false |
| Lid Included | false |
| Height Flap Door | 410 |
| Width Flap Door | 655 |
| Quantity Skids | 2 |
| Dimensions label holder | A4 + A5 |
| Flap door included | true |
| Load bearing capacity (kg) | 750 |
| Max additional load (when stacking) (kg) | 1500 |
| Quantity flap doors | 2 |
| Stacking edges included | true |
| Folded height (mm) | 320 |
| Internal height (mm) | 830 |
| Internal length (mm) | 1120 |
| Internal width (mm) | 920 |
| % space saving when folded | 70 |
| Maximum quantity par stack | 3 |
| Quantity stacking clamps | 8 |
| Type of bottom design | Closed |
| Type of side design | Closed |
| Type of side features | 2 Flap doors |
| Type of skids | Standard skids |