ARTICLE CODE	DESCRIPTION
LFC-1932	Logifold box 855l - 1200x1000x975mm - closed - 2 skids - flap door 1 short + 1 long side

BRAND

Qubb

PRODUCT DESCRIPTION

Foldable pallet box for agricultural, food and industrial applications
70% space saving thanks to foldable design with a folding ratio of 1/3.3
Strong, maintenance-friendly construction
Safe stacking with maximum stability during transport and storage
Hygienic design with smooth inner walls and hollow columns that prevent water accumulation
Interlock system keeps the lid in place when the Logifold box is folded or unfolded
Available lid: BFL-1200
Ergonomic built-in handles
Fully customisable with logo, barcodes, RFID, IoT
A4 and A5 card holders available as an option
Can be sealed with 4 security seals (security seals not included)
Not suitable for liquids
Made from 100% recyclable PE-HD without metal components
Folding door height: 410 mm
Folding door width, short side: 655 mm
Folding door width, long side: 855 mm
Folded height: 320 mm
Int. dim.: L1120 x W920 x H830 mm
Static load capacity: 3800 kg - Dynamic load capacity: 1500 kg - Stacked load capacity: 2 + 1 or 1500 kg
Packing: 8 per stack (standard truck)
Until we receive the official product photos, edited images will be displayed














SPECIFICATIONS

Length (mm)	1200
Width (mm)	1000
Height (mm)	975
Net weight (kg)	52
Matter	High density polyethylene
Color	Grey

TECHNICAL DETAILS

ETIM	EC004736
MOQ sales (Pc.)	1

ATTRIBUTES

Type	2 skids
Model	Logifold
Type Of Handles	Ergonomic handles in short side wall
Quantity Handles	4
Temperature Range	-20°C tot +40°C
Label Holder	true
Load Capacity Static (kg)	3800
Load Capacity Dynamic (kg)	1500
Personalisation	false
Side Flap Door	1x short + 1x long side
Suitable For Liquids	false
Lid Included	false
Height Flap Door	410
Width Flap Door	655
Quantity Skids	2
Dimensions label holder	A4 + A5
Flap door included	true
Load bearing capacity (kg)	750
Max additional load (when stacking) (kg)	1500
Quantity flap doors	2
Stacking edges included	true
Folded height (mm)	320
Internal height (mm)	830
Internal length (mm)	1120
Internal width (mm)	920
% space saving when folded	70
Maximum quantity par stack	3
Quantity stacking clamps	8
Type of bottom design	Closed
Type of side design	Closed
Type of side features	2 Flap doors
Type of skids	Standard skids